

GLORY

specified chemical substances



Jun.1, 2025 The 34th edition

Contents

	Page
1. Glory Group specified Banned Substances	3
2. Glory Group specified Reportable Substances	18
3. Glory Group specified Control Substances	41
4. Glory Group Specified Prohibited Substances in manufacturing process	43

Glory Group specified chemical substances

[Definition of terms]

Containment : A chemical substance exists in Deliverables even if the substance exists as impurities or as a result of addition, filling, mixing and production in the manufacturing process.

Concentration : content rate of chemical substances

Its unit is used with [ppm] (parts per million by weight) or [wt%] (weight percent). (In terms of concentration calculation methods, please refer to the notation of each table.)

Intentional addition: Deliberate use in the formulation of Deliverables where its presence is desired to provide a specific characteristic, appearance or quality regardless of concentration of the chemical substance.

Adhesion, mixing and production of the substances in the manufacturing process and impurities are not included in intentional addition.

Material : Homogeneous material which cannot be decomposed further more or composite material which can be regarded as homogeneous in order to fulfill its specific function(s), for which it is set or formed at a position.

Impurities : Substances that are contained in natural materials and cannot be eliminated during processes in which they are manufactured into industrial sources.

Chemical product : Chemical substance and/or mixture

Article : An item of specific shape, appearance or design created during manufacture which substantially determines functions in final use rather than functions provided by its chemical composition

Constituent articles : The smallest units of articles constituting a product.

Table 1: Glory Group specified Banned Substances (1/9)

No	Substances	Standards of ban	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
001	Asbestos	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	ANNEX XVII of REACH Regulation (EC) No.1907/2006 US TSCA; Swiss Ordinance on Reduction of Risk from Chemical Products	Brake lining pad, insulator, filler, abrasive, insulator, filler, pigment, paint, talc, adiabatic material
002	Azo colorants and Azo dyes which form certain aromatic amines That form certain aromatic amines listed in Table 1a as a result of decomposition of azo group.	[1] Ban of intentional addition [2] The concentrations in material must not exceed 30ppm.	ANNEX XVII of REACH Regulation (EC) No.1907/2006	Pigment, dyes, colorantsThis applies to cases that azo dyes and azo pigments are used for leather products, textile products or their parts that are possible to contact human skins directly for a long time.
003	Cadmium / Cadmium Compounds Refer to Exempted Application in Table 1e.	[1] Ban of intentional addition [2] Concentration in material must not exceed 100 ppm. [3] In the case of packaging materials, the sum of the content of each of the four substances of the Packaging Waste Directive (94/62 / EC) for each material must not exceed 100 ppm.	ANNEX XVII of REACH Regulation (EC) No.1907/2006 RoHS Directive 2011/65/EU; China MII Methods; Korea RoHS; Japan J-MOSS; US/CA SB-20/50	Pigment, anti-corrosion surface treatment, electric and electronic materials, optical material, stabilizer, plating, pigment for resin, fluorescent, electrode, solder, electric contact, contact point, zinc plating, stabilizer for PVC

Table 1: Glory Group specified Banned Substances(2/ 9)

No	Substances	Standards of ban	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
004	Chromium VI Compounds	[1] Ban of intentional addition [2] Concentration in material must not exceed 1000 ppm. [3] In the case of leather articles or articles containing leather parts coming into contact with the skin, the concentrations in total dry weight of the leather of those leather part must be less than 3ppm. [4] In the case of packaging materials, the sum of the content of each of the four substances of the Packaging Waste Directive (94/62 / EC) for each material must not exceed 100 ppm.	RoHS Directive 2011/65/EU; China MII Methods; Korea RoHS; Japan J-MOSS; US/CA SB-20/50	pigment, paint, ink, catalyst, plating, anti-corrosion surface treatment, dye, paint dryer, surface treatment, chromate treatment, paints adhesion enhancement, anti-corrosion
005	Lead/ Lead Compounds Refer to Exempted Application in Table 1e.	[1] Ban of intentional addition [2] Concentration in material must not exceed 1000 ppm. In this regard, however, concentration in material must not exceed 300 ppm in the case of cables/cords with thermoset or thermoplastic coatings. [3] In the case of packaging materials, the sum of the content of each of the four substances of the Packaging Waste Directive (94/62 / EC) for each material must not exceed 100 ppm.	RoHS Directive 2011/65/EU; China MII Methods; Korea RoHS; Japan J-MOSS; US/CA SB-20/50 US/CA Proposition 65	rubber hardener, pigment, paint, lubricant, plastic stabilizer, materials for battery, free-machining alloy, free-cutting steels, optical materials, X-ray shielding in CRT glass, electrical solder material, mechanical solder materials, curing agent, vulcanizing agent, ferroelectrics, resin stabilizer, plating, metal alloy, resin additive
006	Mercury/ Mercury Compounds	[1] Ban of intentional addition [2] Concentration in material must not exceed 1000 ppm. [3] In the case of packaging materials, the sum of the content of each of the four substances of the Packaging Waste Directive (94/62 / EC) for each material must not exceed 100 ppm.	Vermont act relating to comprehensive management of exposure to mercury; Rhode Island General Laws 23-24.9 and amendment of 2007; Louisiana Mercury Risk Reduction Act; ANNEX XVII of REACH Regulation (EC) No.1907/2006 RoHS Directive 2011/65/EU; China MII Methods; Korea RoHS; Japan J-MOSS; US/CA SB-20/50	fluorescent bulb, contact point material, pigment, anti-corrosion, switches, high-efficiency phosphor, antibacterial treatment
007	Ozone Depleting Substances (CFCs, HCFCs, HBFCs, carbon tetrachloride, etc.) Refer to detailed substances in Table 1b.	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	Montreal Protocol EU EC No. 2037/2000 EC 1005/2009 US Clean Air Act	refrigerant, foaming agent, extinguishant, solvent cleaner

Table 1: Glory Group specified Banned Substances(3/ 9)

No	Substances	Standards of ban	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
008	PFOS and PFOS-related substances Refer to Exempted Application in Table 1e.	[1] Ban of intentional addition [2] Concentration or amount must not exceed undermentioned numerical numbers. - Concentration in material: 0.1wt% - Concentration in chemical product :0.001wt% - Amount in the coated materials:1μg/m2	ANNEX XVII of REACH Regulation (EC) No.1907/2006 and Commission Regulation(ec)552/2009 Canadian Environmental Protection Act SOR/SOR/2008-178 Japan Law concerning the evaluation of chemical substances;	antistatic agent for films and plastics
009	Polybrominated Biphenyls (PBBs)	[1] Ban of intentional addition [2] Concentration in material must not exceed 1000 ppm.	RoHS Directive 2011/65/EU; China MII Methods; Korea RoHS; Japan J-MOSS	Flame retardant
010	Polybrominated Diphenylethers (PBDEs)	<Electrical and electronic equipment> [1] Ban of intentional addition [2] Concentration in material must not exceed 1000 ppm <Other than electrical and electronic equipment. (including packaging material)> Sum of concentration of PBDEs in product article must not exceed 500 ppm.	RoHS Directive 2011/65/EU; China MII Methods; Korea RoHS; Japan J-MOSS Japan Law concerning the evaluation of chemical substances; EU POPs	Flame retardant
011	Polychlorinated Biphenyls (PCBs) Refer to detailed substances in Table 1c.	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	Japan Law concerning the evaluation of chemical substances; ANNEX XVII of REACH Regulation (EC) No.1907/2006 US TSCA.	insulation oil, lubricant oil, electrical insulation medium, solvent, electrolytic solution; Plasticizers, fire retardants, coatings for electrical wire and cable, dielectric sealants
012	Polychlorinated Terphenyls (PCTs)	[1] Ban of intentional addition [2] Concentration in material must not exceed 50 ppm.	ANNEX XVII of REACH Regulation (EC) No.1907/2006	insulation oil, lubricant oil, electrical insulation medium, solvent, electrolytic solution; Plasticizers, fire retardants, coatings for electrical wire and cable, dielectric sealants
013	Shortchain Chlorinated Paraffins (C10-C13)	[1] Ban of intentional addition [2] Concentration in material must not exceed 1000 ppm.	Article 33 and 7.2 of REACH Regulation (EC) No 1907/2006, Norway Product Regulations FOR-2004-06-01-922; Swiss Ordinance on Reduction of Risk from Chemical Products	plasticizer for PVC, flame retardant
014	Tri-substituted organostannic compounds (except for TBTO)	Concentration of Tin in the constituent article must not exceed 1000 ppm.	ANNEX XVII of REACH Regulation (EC) No.1907/2006 Commission Regulation (EU) No.276/2010 Japan Law concerning the evaluation of chemical substances	Stabilizer, antioxidant, antibacterial and antifungal agents, antifoulant, antiseptic, anti-fungal agent, paint, pigment, antistaining

Table 1: Glory Group specified Banned Substances(4/ 9)

No	Substances	Standards of ban	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
015	Tributyl Tin Oxide (TBTO)	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	Japan Law concerning the evaluation of chemical substances Article 33 and 7.2 of REACH Regulation (EC) No 1907/2006,	antiseptic, antifungal agent, paint, pigment, antistaining, refrigerant, foaming agent, extinguishant, solvent cleaner
016	Dimethylfumarate (DMF) CAS No 624-49-7	Concentration in the constituent article must not exceed 0.1 ppm.	ANNEX XVII of REACH Regulation (EC) No.1907/2006	Biocide, mold treatment of electronic leather seats, including recliners, massage chairs
017	Dibutyltin compounds (DBT)	Concentration of Tin in the constituent article must not exceed 1000 ppm.	ANNEX XVII of REACH Regulation (EC) No.1907/2006 Commission Regulation (EU) No.276/2010	Stabilizer for PVC, curing catalyst for silicone resin and urethane resin
018	Diocetyl tin compounds (DOT)	Concentration of Tin in the constituent article must not exceed 1000 ppm.	ANNEX XVII of REACH Regulation (EC) No.1907/2006 This applies to (a) textile and leather articles intended to come into contact with the skin, (b) childcare articles (c) two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)	Stabilizer for PVC, curing catalyst for silicone resin and urethane resin
019	Fluorinated greenhouse gases (HFC, PFC, SF6) Refer to detailed substances in Table 1d	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	EU Regulation No.842/2006	This applies to cases that are used for one component foams.
020	Formaldehyde	[1] Ban of intentional addition [2] Concentration in material must not exceed 75 ppm.	US/CA CARB Rule US Federal Law 111-199/TSCA Section 601 Laws of Austria and Lithuania	This applies to cases that are used for textile products or their parts.
021	Tris(2,3-dibromopropyl) phosphate(TRIS) CAS No 126-72-7	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	ANNEX XVII of REACH Regulation (EC) No.1907/2006	This applies to cases that are used for textile products or their parts intended to come into contact with the skin directly.
022	Tris(1-aziridinyl) phosphine oxide (TEPA) CAS No 545-55-1	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	ANNEX XVII of REACH Regulation (EC) No.1907/2006	This applies to cases that are used for textile products or their parts intended to come into contact with the skin directly.

Table 1: Glory Group specified Banned Substances(5/ 9)

No	Substances	Standards of ban	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
023	Polychlorinated Naphthalenes (more than 1 chlorine atoms)	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances EU POPs Regulation	lubricant, paint, stabilizer (electric characteristic, flame-resistant, water-resistant) insulator, flame retardant
024	Hexachlorobenzene	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Insecticide
025	Aldrin	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Insecticide
026	Dieldrin	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Insecticide
027	Endrin	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Insecticide
028	DDT Chlorophenothane	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Insecticide
029	Chlordanes	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Termite extermination agent
030	N,N'-ditolyl-p-phenylenediamine, N-tolyl-N'-xylyl-p-phenylenediamine and N,N'-dixylyl-p-phenylenediamine	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Rubber age resistor
031	2,4,6-tri-tert-butylphenol	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances US TSCA Section 6(h)	Antioxidant Lubricating oil
032	Toxaphene	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Insecticide
033	Mirex	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Flame retardants Insecticide
034	Kelthane	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Miticide
035	Hexachlorobutadiene	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Solvent
036	2-(2H-benzotriazol-2-yl)-4,6-di-tert-butylphenol (UV-320)	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Article 33 and 7.2 of REACH Regulation (EC) No 1907/2006 Japan Law concerning the evaluation of chemical substances	Antioxidant Lubricating oil

Table 1: Glory Group specified Banned Substances(6/ 9)

No	Substances	Standards of ban	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
037	Pentachlorobenzene	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Agricultural chemicals
038	α -Hexachlorocyclohexane	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	By-product of γ -Hexachlorocyclohexane
039	β -Hexachlorocyclohexane	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	By-product of γ -Hexachlorocyclohexane
040	γ -Hexachlorocyclohexane	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Agricultural chemicals
041	Chlordecone	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Agricultural chemicals
042	Hexabromocyclododecane (HBCDD) Refer to detailed substances in Table 1f	<Articles> [1] Ban of Intentional addition [2] Concentration in material must not exceed 0.01% by weight. <Chemicals> Concentration in chemicals must not exceed 0.01% by weight.	Japan Law concerning the evaluation of chemical substances EU POPs	Flame retardant
043	Endosulfan	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Agricultural chemicals
044	Polycyclic aromatic hydrocarbons (PAH) Refer to detailed substances in Table 1g	[1] Ban of intentional addition [2] Concentration must not exceed 0.0001 % by weight of rubber or plastic component.	ANNEX XVII of REACH Regulation (EC) No.1907/2006	This applies to rubber or plastic component where direct and prolonged contact, or repeated in short-term contact with the human skin or the oral cavity are expected: 1) The most outside surface of keyboards and mice 2) The most outside surface of palm rests of laptops and chassis of mobile phones 3) Surface of liquid crystal touch panels
045	Pentachlorophenol,Pentachlorophenol-salts,Pentachlorophenol-esters	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process	Japan Law concerning the evaluation of chemical substances	Insecticides, herbicides, anti-microbial preservative, wood fungicide

Table 1: Glory Group specified Banned Substances(7/ 9)

No	Substances	Standards of ban	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
046	Bis(2-ethylhexyl) phthalate (DEHP)	< Electrical and electronic equipment > [1] Ban of intentional addition [2] Concentration in material must not exceed 1000 ppm.	RoHS Directive 2011/65/EU;	Packaging materials, electrolytic solutions, PVC cables, electrolytic capacitor sleeves, Antivibration rubber, rubber feet
047	Butyl benzyl phthalate (BBP)	< Other than electrical and electronic equipment (including packaging material) > [1] Ban of intentional addition [2] Sum of concentration of the four substances in the plasticized material (refer to Note 3) in the article must not be equal to or greater 1000 ppm.	ANNEX XVII of REACH Regulation (EC) No.1907/2006	Adhesives
048	Dibutyl phthalate (DBP)			Cables, plugs, Rubber feet, tubes
049	Diisobutyl phthalate (DIBP)			Rubber, rubber products
050	Cobalt dichloride	< Silica gel or other chemicals > Concentration in silica gel or other chemicals must be less than 0.01 wt%.	EU Directive 67/548/EEC; Directive 2003/34/EC	Humidity indicator (Use it with silicagel etc.)
051	4,4'-isopropylidenediphenol; bisphenol A	< Thermal paper > Concentration in the thermal paper must be less than 0.02 wt%	ANNEX XVII of REACH Regulation (EC) No.1907/2006	Manufacture of polycarbonate, epoxy resins and chemicals; hardener in epoxy resins
052	Perfluorooctanoic acid (PFOA), its salts and PFOA-related compounds Refer to Exempted Application in Table 1e	< Article, Mixture > In the mass of the article mass or in the mixture [1] It must be less than 25 ppb. [2] For PFOA related compound, one or a combination thereof be less than 1000 ppb in total.	EU POPs ANNEX XVII of REACH Regulation (EC) No.1907/2006	additive, rebbering agent of the paint, aqueous film formation, bubble digestive, surfactant
053	Polychlorinated normal paraffin (It is limited that the number of carbon is 10 to 13 and the content of chlorine is more than 48% of the total weight.)	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	Japan Law concerning the evaluation of chemical substances	Lubricating oils, cutting oils and hydraulic fluids, plasticizers for resins or rubbers, adhesives and sealing fillers
054	Bis(pentabromophenyl) ether (decabromodiphenylether; decaBDE) CAS No. 1163-19-5	[1] Ban of intentional addition. [2] Ban of attachment, mix, or production of the substances in the manufacturing process. This section does not apply if all of the following are met. *Content derived from recycled plastics *meet the criteria of No.010	Japan Law concerning the evaluation of chemical substances; US TSCA Section 6(h)	Flame retardant for polystyrene / ABS resin / polyester
055	Phenol, isopropylated, phosphate (3:1) (PIP 3:1) CAS No. 68937-41-7	[1] Ban of intentional addition. [2] Ban of attachment, mix, or production of the substances in the manufacturing process. This section does not apply in the following cases. *Adhesive and sealant Applications *Lubricating oil and grease applications *Content derived from recycled plastics	US TSCA Section 6(h)	Flame-retardant plasticizer for PVC products. Adhesives, Paints, Inks

Table 1: Glory Group specified Banned Substances(8/ 9)

No	Substances	Standards of ban	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
056	Hexachlorobutadiene (HCBD) CAS No. 87-68-3	[1] Ban of intentional addition. [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	Japan Law concerning the evaluation of chemical substances; US TSCA Section 6(h)	Solvent
057	Pentachlorothiophenol (PCTP) CAS No. 133-49-3	Concentration in the article must not exceed 1% by weight. In force from 8 Mar 2021	US TSCA Section 6(h)	Organic rubber chemicals (straining accelerator)
058	Long-chain perfluorocarboxylic acids (LC-PFCA) and their salts, and LC-PFCA-related substances (with carbon numbers of 9 to 21) Excluded uses: Table 1e	[1] Ban of intentional addition. [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	REACH Regulation "Annex XVII Restrictions" Japan Law concerning the evaluation of chemical substances ; EU POPs Regulation "Annex A Elimination"	Fluoropolymer processing aids, surfactants, etc.
059	Perfluorohexane sulfonic acid (PFHxS) including its salts and related substances	[1] Ban of intentional addition [2] Concentration in the article or the mixture is below 25 ppb for the sum of C9-C14 PFCA and their salts or 260 ppb for the sum of C9-C14 PFCA-related substances.	EU POPs Regulation "Annex A Elimination"	Manufacture of foams, metal plating, textiles, leather goods and upholstery, abrasives and cleaners, coatings, impregnations/reinforcements, electronics and semiconductors.
060	Mineral oil aromatic hydrocarbons (MOAH) comprising from 1 to 7 aromatic rings Hydrocarbons saturated with mineral oil (MOSH) containing 16 to 35 carbon atoms	< In the printing Ink of packaging materials and printed matter > [1] The content of mineral oil aromatic hydrocarbons (MOAH) comprising from 1 to 7 aromatic rings must be 1% or less. [2] The content of mineral oil hydrocarbons (MOAH) comprising from 1 to 2 aromatic rings and hydrocarbons saturated with mineral oil (MOSH) comprising from 16 to 35 carbon atoms must be 0.1% or less. [2] The content of mineral oil aromatic hydrocarbon (MOAH) comprising from 3 ~ 7 aromatic rings must be 1 ppm or less.	France (Law on Combating Waste and the Circular Economy (L2020-105))	packaging and print inks
061	1,4:7,10-Dimethanodibenzo[a,e]cyclooctene, 1,2,3,4,7,8,9,10,13,13,14,14-dodecachloro 1,4,4a,5,6,6a,7,10,10a,11,12,12a-dodecahydro (Dechlorane Plus) CAS No. 13560-89-9 CAS No. 135821-74-8 CAS No. 135821-03-3	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	Japan Law concerning the evaluation of chemical substances EU POPs Regulation "Annex A Elimination"	Flame retardant

Table 1: Glory Group specified Banned Substances(9/ 9)

№	Substances	Standards of ban	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
062	2-(2H-Benzotriazol-2-yl)-4,6-di-tert-pentylphenol (UV-328) CAS No. 25973-55-1	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	Japan Law concerning the evaluation of chemical substances EU POPs Regulation "Annex A Elimination"	UV absorber
063	Medium-chain chlorinated paraffins (those with carbon numbers between 14 and 17 and a chlorine content of 45% or more by weight)	[1] Ban of intentional addition [2] Ban of attachment, mix, or production of the substances in the manufacturing process.	Japan Law concerning the evaluation of chemical substances EU POPs Regulation "Annex A Elimination"	Metalworking oils flame-retardant resin raw materials, etc.

Notation regarding Table 1:

1) Deliverables shall meet all of "Standards of ban" specified in the above table.

In terms of "Banned Substances", methodology of how to calculate concentration shall follow below:

- In this article, the denominator in calculations of the concentration shall be the mass of the "Material", or the mass of the constituent article. You can decide which mass to choose complying with the "Standards of ban" in Table 1 in individual substances.
 - In the case of complex substances or materials, the following will be the "Material".
 - Chemical compounds, polymer alloys, metal alloys
- In the case that Deliverables are raw material such as paint, adhesive, ink, paste, polymer resin, glass powder, ceramic powder, each finally formed product by means of expected normal usage.

Examples: - Dried and hardened material for paints or adhesives

- Molded article for polymer resins

- Hardened material for glass or ceramic powder

· Single layer of paint, printing, or plating. Or, in the case of multi layers, each single layer shall be defined as the "Material".

- The numerator in calculations of the concentration shall be mass of the applicable chemical substance. In the case of metal alloy, metal element in the metal alloy will be the numerator.

2) The restricted phthalic ester must not be contained in the material that wraps the product when the product is delivered.

3) 'Plasticised material' means any of the following homogeneous materials:

- polyvinyl chloride (PVC), polyvinylidene chloride (PVDC), polyvinyl acetate (PVA), polyurethanes,
- any other polymer (including, inter alia, polymer foams and rubber material) except silicone rubber and natural latex coating
- surface coatings, non-slip coatings, finishes, decals, printed designs,
- adhesives, sealants, paints and inks.

Table 1a: Specified Amines

Detailed Substances	CAS No.
biphenyl-4-ylamine	92-67-1
Benzidine	92-87-5
4-chloro-o-toluidine	95-69-2
2-naphthylamine	91-59-8
o-aminoazotoluene	97-56-3
5-nitro-o-toluidine	99-55-8
4-chloroaniline	106-47-8
4-methoxy-m-phenylenediamine	615-05-4
4,4'-methylenedianiline	101-77-9
3,3'-dichlorobenzidine	91-94-1
3,3'-dimethoxybenzidine	119-90-4
3,3'-dimethylbenzidine	119-93-7
4,4'-methylenedi-o-toluidine	838-88-0
6-methoxy-m-toluidine	120-71-8
4,4'-methylene-bis(2-chloroaniline)	101-14-4
4,4'-oxydianiline	101-80-4
4,4'-thiodianiline	139-65-1
o-toluidine	95-53-4
4-methyl-m-phenylenediamine	95-80-7
2,4,5-trimethylaniline	137-17-7
o-anisidine	90-04-0
4-amino azobenzene	60-09-3

Table1b: Ozone Depleting Substances (1/4)

Substance Group	Detailed Substances	CAS No.	remarks
CFCs	CFC-11	75-69-4	
	CFC-12	75-71-8	
	CFC-13	75-72-9	
	CFC-111	354-56-3	
	CFC-112	76-12-0 76-11-9	
	CFC-113	76-13-1 354-58-5	
	CFC-114	76-14-2	
	CFC-115	76-15-3	
	CFC-211	422-78-6 422-81-1	
	CFC-212	3182-26-1	
	CFC-213	134237-31-3	
	CFC-214	29255-31-0 2268-46-4	
	CFC-215	1599-41-3 76-17-5 4259-43-2	
	CFC-216	661-97-2	
	CFC-217	422-86-6	
Halons	Halon-1011 (Bromochloromethane)	74-97-5	
	Halon-1202	75-61-6	Note 1
	Halon-1211	353-59-3	
	Halon-1301	75-63-8	
	Halon-2402	124-73-2	

Table1b: Ozone Depleting Substances (2/4)

Substance Group	Detailed Substances	CAS No.	remarks
Carbon tetrachloride		56-23-5	
1,1,1-Trichloroethane		71-55-6	
Bromomethane		74-83-9	
Bromoethane (Ethyl bromide)		74-96-4	Note 1
1-Bromopropane(n-propyl bromide)		106-94-5	Note 1
Trifluoriodomethane (Trifluoromethyl iodide)		2314-97-8	Note 1
Chloromethane (Methyl chloride)		74-87-3	Note 1
HBFCs Hydrobromofluorocarbons	Dibromofluoromethane	1868-53-7	
	Bromodifluoromethane	1511-62-2	
	Bromofluoromethane	373-52-4	
	Tetrabromofluoroethane	306-80-9	
	Tribromodifluoroethane	-	
	Dibromotrifluoroethane	354-04-1	
	Bromotetrafluoroethane	124-72-1	
	Tribromofluoroethane	-	
	Dibromodifluoroethane	75-82-1	
	Bromotrifluoroethane	421-06-7	
	Dibromofluoroethane	358-97-4	
	Bromodifluoroethane	420-47-3	
	Bromofluoroethane	762-49-2	
	Hexabromofluoropropane	-	
	Pentabromodifluoropropane	-	
	Tetrabromotrifluoropropane	-	
	Tribromotetrafluoropropane	-	
	Dibromopentafluoropropane	431-78-7	
	Bromoheptafluoropropane	2252-78-0	
	Pentabromofluoropropane	-	
	Tetrabromodifluoropropane	-	
	Tribromotrifluoropropane	-	
	Dibromotetrafluoropropane	-	
	Bromopentafluoropropane	460-88-8	
	Tetrabromofluoropropane	-	
	Tribromodifluoropropane	70192-80-2	
	Dibromotrifluoropropane	431-21-0	
	Bromotetrafluoropropane	679-84-5	
	Tribromofluoropropane	75372-14-4	
	Dibromodifluoropropane	460-25-3	
	Bromotrifluoropropane	421-46-5	
	Dibromofluoropropane	51584-26-0	
	Bromodifluoropropane	-	
	Bromofluoropropane	1871-72-3	
HCFCs Hydrochlorofluorocarbons	HCFC-21	75-43-4	Note 1
	HCFC-22	75-45-6	Note 1
	HCFC-31	593-70-4	Note 1
	HCFC-121	134237-32-4 354-11-0 354-14-3	Note 1
	HCFC-122	41834-16-6 354-21-2 354-15-4 354-12-1	Note 1
	HCFC-123	34077-87-7 90454-18-5 306-83-2 354-23-4 812-04-4	Note 1
	HCFC-124	63938-10-3 2837-89-0 354-25-6	Note 1

Table1b: Ozone Depleting Substances (3/4)

Substance Group	Detailed Substances	CAS No.	remarks
HCFCs Hydrochlorofluorocarbons	HCFC-131	27154-33-2 134237-34-6 359-28-4 811-95-0	Refer to Note 1
	HCFC-132	25915-78-0 1649-08-7 1842-05-3 471-43-2 431-06-1	Refer to Note 1
	HCFC-133	1330-45-6 75-88-7	Refer to Note 1
	HCFC-141	1717-00-6 25167-88-8 1717-00-6 430-57-9	Refer to Note 1
	HCFC-132	25915-78-0 1649-08-7 1842-05-3 471-43-2 431-06-1	Refer to Note 1
	HCFC-133	1330-45-6 75-88-7	Refer to Note 1
	HCFC-141	1717-00-6 25167-88-8 1717-00-6 430-57-9	Refer to Note 1
	HCFC-142	25497-29-4 75-68-3 25497-29-4	Refer to Note 1
	HCFC-151	110587-14-9	Refer to Note 1
	HCFC-221	134237-35-7	Refer to Note 1
	HCFC-222	134237-36-8	Refer to Note 1
	HCFC-223	134237-37-9	Refer to Note 1
	HCFC-224	134237-38-0	Refer to Note 1
	HCFC-225	127564-92-5 2713-09-9 128903-21-9 422-48-0 422-44-6 422-56-0 507-55-1 13474-88-9 431-86-7 136013-79-1 111512-56-2	Refer to Note 1
	HCFC-226	134308-72-8	Refer to Note 1
	HCFC-231	134190-48-0	Refer to Note 1
	HCFC-232	134237-39-1	Refer to Note 1
	HCFC-233	134237-40-4 7125-83-9	Refer to Note 1
	HCFC-234	127564-83-4	Refer to Note 1
	HCFC-235	134237-41-5 460-92-4	Refer to Note 1
	HCFC-241	134190-49-1	Refer to Note 1

Table 1b: Ozone Depleting Substances (4/4)

Substance Group	Detailed Substances	CAS No.	remarks
HCFCs Hydrochlorofluorocarbons	HCFC-242	134237-42-6	Refer to Note 1
	HCFC-243	134237-43-7 7125-99-7 338-75-0 460-69-5	Refer to Note 1
	HCFC-244	134190-50-4 679-85-6 421-75-0	Refer to Note 1
	HCFC-251	134190-51-5 818-99-5 421-41-0	Refer to Note 1
	HCFC-252	134190-52-6 819-00-1	Refer to Note 1
	HCFC-253	134237-44-8 460-35-5	Refer to Note 1
	HCFC-261	134237-45-9 7799-56-6 420-97-3	Refer to Note 1
	HCFC-262	134190-53-7 420-99-5 102738-79-4 421-02-3	Refer to Note 1
	HCFC-271	134190-54-8 420-44-0 430-55-7	Refer to Note 1

[Note regarding Table 1b]

1) The substances are exempted from the Prohibited Substances in manufacturing process specified in Table 4.

Table 1c: Polychlorinated Biphenyls (PCBs) and specific substitutes

Substances	CAS No.
Polychlorinated Biphenyls (all isomers and congeners)	1336-36-3
Monomethyl-tetrachloro-diphenyl methane (Ugilec 141)	76253-60-6
Monomethyl-dichloro-diphenyl methane (Ugilec 121, Ugilec 21)	-
Monomethyl-dibromo-diphenyl methane (DBBT)	99688-47-8

Table 1d: Fluorinated Greenhouse Gases (HFC, PFC, SF₆)

Substances	CAS No.
Carbon tetrafluoride (Perfluoromethane)	75-73-0
Perfluoroethane (Hexafluoroethane)	76-16-4
Perfluoropropane (Octafluoropropane)	76-19-7
Perfluorobutane (Decafluorobutane)	355-25-9
Perfluoropentane (Dodecafluoropentane)	678-26-2
Perfluorohexane (Tetradecafluorohexane)	355-42-0
Perfluorocyclobutane	115-25-3
Sulfur Hexafluoride (SF ₆)	2551-62-4
Trifluoromethane (HFC-23)	75-46-7
Difluoromethane (HFC-32)	75-10-5
Methyl fluoride (HFC-41)	593-53-3
2H,3H-Decafluoropentane (HFC-43-10mee)	138495-42-8
Pentafluoroethane (HFC-125)	354-33-6
1,1,2,2-Tetrafluoroethane (HFC-134)	359-35-3
1,1,1,2-Tetrafluoroethane (HFC-134a)	811-97-2
1,1-Difluoroethane (HFC-152a)	75-37-6
1,1,2-Trifluoroethane (HFC-143)	430-66-0
1,1,1-Trifluoroethane (HFC-143a)	420-46-2
2H-Heptafluoropropane (HFC-227ea)	431-89-0
1,1,1,2,2,3-Hexafluoro-propane (HFC-236cb)	677-56-5
1,1,1,2,3,3-Hexafluoropropane (HFC-236ea)	431-63-0
1,1,1,3,3,3-Hexafluoropropane (HFC-236fa)	690-39-1
1,1,2,2,3-Pentafluoropropane (HFC-245ca)	679-86-7
1,1,1,3,3-Pentafluoropropane (HFC-245fa)	460-73-1
1,1,1,3,3-Pentafluorobutane (HFC-365mfc)	406-58-6

Table 1e: Exempted applications from the containment restriction

No	Substances	Code	Exempted applications
003	Cadmium /Cadmium Compounds	8(b)-I	Cadmium and its compounds in electrical contacts used in: — circuit breakers — thermal sensing controls, — thermal motor protectors (excluding hermetic thermal motor protectors), — AC switches rated at: — 6 A and more at 250 V AC and more, or — 12 A and more at 125 V AC and more, — DC switches rated at 20 A and more at 18 V DC and more, and — switches for use at voltage supply frequency \geq 200 Hz.
		13(b)-II	Cadmium in striking optical filter glass types; excluding applications falling under point 39 of this Annex
		13(b)-III	Cadmium in glazes used for reflectance standards
005	Lead/Lead Compounds	5(b)	Lead in glass of fluorescent tubes not exceeding 0.2% by weight
		6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight
		6(b)-I	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling
		6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight
		6(c)	Copper alloy containing up to 4% lead by weight
		7(a)	Lead in high melting temperature type solders (i.e. lead based alloys containing 85% by weight or more lead).
		7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.
		7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher
		13(a)	Lead in white glasses used for optical applications
		13(b)-I	Lead in ion coloured optical filter glass types
		13(b)-III	Lead in glazes used for reflectance standards
		15(a)	"Lead in solders to complete a viable electrical connection between the semiconductor die and carrier within integrated circuit flip chip packages where at least one of the following criteria applies: — a semiconductor technology node of 90 nm or larger; — a single die of 300 mm ² or larger in any semiconductor technology node; — stacked die packages with die of 300 mm ² or larger, or silicon interposers of 300 mm ² or larger."
		34	Lead in cermet-based trimmer potentiometer elements.
052	Perfluorooctanoic acid(PFOA),its salts and PFOA-related compounds		• In photographic coatings applied to films, papers or printing plates In force from Jul 4,2025 • In photo-lithography processes for semiconductors or in etching processes for compound semiconductors In force from Jul 4,2025
058	Medium-chain chlorinated paraffins (those with carbon numbers between 14 and 17 and a chlorine content of 45% or more by weight)		• Semiconductors designed as replacement parts • Replacement parts for cars no longer in mass production"

Glory Group may revise these exempted applications based on legislation.

Table 1f: Hexabromocyclododecane (HBCDD)

Substances	CAS No.
Hexabromocyclododecane	25637-99-4
	4736-49-6
	65701-47-5
	138257-17-7
	138257-18-8
	138257-19-9
	169102-57-2
	678970-15-5
	678970-16-6
	678970-17-7
1,2,5,6,9,10-hexabromocyclododecane	3194-55-6
α -hexabromocyclododecane	134237-50-6
β -hexabromocyclododecane	134237-51-7
γ -hexabromocyclododecane	134237-52-8

Table 1g: Polycyclic aromatic hydrocarbons (PAH)

Substances	CAS No.
Benzo[a]pyrene (BaP)	50-32-8
Benzo[e]pyrene (BeP)	192-97-2
Benzo[a]anthracene (BaA)	56-55-3
Chrysen (CHR)	218-01-9
Benzo[b]fluoranthene (BbFA)	205-99-2
Benzo[j]fluoranthene (BjFA)	205-82-3
Benzo[k]fluoranthene (BkFA)	207-08-9
Dibenzo[a,h]anthracene (DBAhA)	53-70-3

Table 2: Glory Group Specified Reportable Substances

Substances	Conditions of reporting	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
SVHC specified by REACH Regulation (EC) (Candidate for Authorization) Refer to detailed substances in Table 2a	In the case that concentration in the constituent article exceeds 1000 ppm	Article 33 and 7.2 of REACH Regulation (EC) No 1907/2006	The additive of rubber and plastics products,flameretal dant,Insecticide,Anti septics,Desiccating agent

Notation regarding Table 2:

1) Contents of management

- If deliverables meet "Conditions of reporting" defined in the above table, total mass of the applicable chemical substance, purpose of use, and application area, etc., shall be reported to Glory Group.

2) In terms of "Reportable Substances", methodology of how to calculate concentration shall follow below:

- Denominator on calculating concentration is mass of the constituent article.
- Numerator is mass of the applicable chemical substance.

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(1/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
001	Anthracene	Persistent, bioaccumulative and toxic; Very persistent and very bioaccumulative; Carcinogen, category 2	Insecticides, herbicides, plant growth regulators, wood preservatives	120-12-7
002	4,4'-Diaminodiphenylmethane (4,4'-Methylenedianiline, 4,4'-MDA)	Carcinogen, cat. 2	Resin curing agent	101-77-9
003	Dibutyl phthalate (DBP)	Toxic for reproduction, cat. 2 Endocrine disrupting properties (Article 57(f) - human health)	Plasticizers, such as a vinyl chloride resin	84-74-2
004	Cobalt dichloride	Carcinogen, cat. 2	Dryness-and-moisture indicator	7646-79-9
005	Diarsenic pentaoxide	Carcinogen, cat. 1	Dyeing, metallurgy, wood preservative	1303-28-2
006	Diarsenic trioxide	Carcinogen, cat. 1	The raw material of metal arsenic The clarifier of special glass	1327-53-3
007	Sodium dichromate	Carcinogen, cat. 2 Mutagen, category 2 Toxic for reproduction, cat. 2	Manufacture of Chromium compound (chromium sulfate) Applied to the case only when the usage of this substance is applicable to the "Exempted Application" of "chromium VI compounds" defined in Table 1d. Other than those above, this substance shall be treated as Banned Substances and Deliverables shall comply with the "Standards of ban" defined in Table 1.	7789-12-0 10588-01-9
008	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	Very persistent and very bioaccumulative	Manufacture of inorganic chromic acid system pigments	81-15-2
009	Bis(2-ethylhexyl)phthalate (DEHP)	Toxic for reproduction, cat. 2; Endocrine disrupting properties (Article 57(f) - environment); Endocrine disrupting properties (Article 57(f) - human health)	Plasticizers, such as a vinyl chloride resin	117-81-7
010	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α -HBCDD, β -HBCDD, γ -HBCDD)	Persistent, bioaccumulative and toxic; Very persistent and very bioaccumulative; Carcinogen, category 2	Flame retardant	25637-99-4 3194-55-6 134237-50-6 (α -HBCDD) 134237-51-7 (β -HBCDD) 1 34237-52-8 (γ -HBCDD)

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(2/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
011	Shortchain chlorinated paraffins	Persistent, Bioaccumulative, Toxic, Very Persistent, Very Bioaccumulative	Rubber, paints, gasket, adhesive lubricant, flameretardant, and plasticizer	85535-84-8
012	Tributyl tin oxide (TBTO)	Persistent, Bioaccumulative, Toxic	Fungicide and antifoulant paint	56-35-9
013	Lead hydrogen arsenate	Carcinogen, category 1; Toxic for reproduction, category 1	InsecticideWood preservativeApplied to the case only when the usage of this substance is applicable to the "Exempted Application" of "lead compounds" defined in Table 1e. Other than those above, this substance shall be treated as Banned Substances and Deliverables shall comply with the "Standards of ban" defined in Table 1.	7784-40-9
014	Benzyl butyl phthalate (BBP)	Toxic for reproduction, category 2 Endocrine disrupting properties (Article 57(f) - human health)	Plasticizers, such as a vinyl chloride resin	85-68-7
015	Triethyl arsenate	Carcinogen, category 1	InsecticideWood preservative	15606-95-8
016	Anthracene oil	Persistent, bioaccumulative and toxic; Very persistent and very bioaccumulative; Carcinogen, category 2	The raw material of pure anthraceneAntisepticsWaterproofing agent	90640-80-5
017	Anthracene oil, anthracene paste, distn. Lights	Persistent, bioaccumulative and toxic; Very persistent and very bioaccumulative; Carcinogen, category 2; Mutagen, category 2	The raw material of pure anthraceneAntisepticsWaterproofing agent	91995-17-4
018	Anthracene oil, anthracene paste, anthracene fraction	Persistent, bioaccumulative and toxic; Very persistent and very bioaccumulative; Carcinogen, category 2 Mutagen, category 2	The raw material of pure anthraceneAntisepticsWaterproofing agent	91995-15-2
019	Anthracene oil, anthracene-low	Very persistent and very bioaccumulative; Carcinogen, category 2 Mutagen, category 2	The raw material of pure anthraceneAntisepticsWaterproofing agent	90640-82-7
020	Anthracene oil, anthracene paste	Persistent, bioaccumulative and toxic; Very persistent and very bioaccumulative; Carcinogen., category 2; Mutagen, category 2	The raw material of pure anthraceneAntisepticsWaterproofing agent	90640-81-6
021	Coal tar pitch, high temperature	Persistent, bioaccumulative and toxic; Very persistent and very bioaccumulative; Carcinogen, category 2	Carbon electrodeGraphite electrode	65996-93-2
022	Aluminosilicate, Refractory Ceramic Fibres	Carcinogen, category 2	Fire-resistant agent	
023	Zirconia Aluminosilicate, Refractory Ceramic Fibres	Carcinogen, category 2	Fire-resistant agent	
024	2,4-Dinitrotoluene	Carcinogen, category 2	The raw material of Toluene diisocyanate synthesis	121-14-2
025	Diisobutyl phthalate (DIBP)	Toxic for reproduction, category 2 Endocrine disrupting properties (Article 57(f) - human health)	Plasticizer	84-69-5
026	Lead chromate	Carcinogen, category 2; Toxic for reproduction, category 1	PigmentBrightener	7758-97-6
027	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)	Carcinogen, category 2; Toxic for reproduction, category 1	Pigment	12656-85-8
028	Lead sulfochromate yellow (C.I. Pigment Yellow 34)	Carcinogen, category 2; Toxic for reproduction, category 1	Pigment	1344-37-2

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(3/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
029	Tris(2-chloroethyl)phosphate (TCEP)	Toxic for reproduction, category 2	Flame retardant	115-96-8
030	Acrylamide	Carcinogenic, Mutagenic	Acrylamide is almost exclusively used for the synthesis of polyacrylamides, which are used in various applications, in particular in waste water treatment and paper processing. Minor uses of acrylamide comprise the preparation of polyacrylamide gels for research purposes and as grouting agents in civil engineering.	79-06-1
031	Trichloroethylene	Carcinogenic	Trichloroethylene is mainly used as an intermediate in the manufacture of chlorinated and fluorinated organic compounds. Other uses are for cleaning and degreasing of metal parts or as a solvent in adhesives.	79-01-6
032	Boric acid	Toxic to reproduction	Boric acid is widely used on account of its consistency-influencing, flame-retarding, antiseptic and preservative properties. It is a component of detergents and cleaners, adhesives, toys, industrial fluids, brake fluids, glass, ceramics, flame retardants, paints, disinfectants, cosmetics, food additives, fertilisers, insecticides and other products.	10043-35-3 11113-50-1
033	Disodium tetraborate, anhydrous	Toxic to reproduction	Disodium tetraborate and tetraboron disodium heptaoxide form the same compounds in aqueous solutions. Uses include a multitude of applications, e.g. in detergents and cleaners, in glass and glass fibres, ceramics, industrial fluids, metallurgy, adhesives, flame retardants, personal care products, biocides, fertilisers.	1303-96-4 1330-43-4 12179-04-3
034	Tetraboron disodium heptaoxide, hydrate	Toxic to reproduction	Disodium tetraborate and tetraboron disodium heptaoxide form the same compounds in aqueous solutions. Uses include a multitude of applications, e.g. in detergents and cleaners, in glass and glass fibres, ceramics, industrial fluids, metallurgy, adhesives, flame retardants, personal care products, biocides, fertilisers.	12267-73-1

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(4/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
035	Sodium chromate	Carcinogenic Mutagenic Toxic to reproduction	Sodium chromate is mainly used as an intermediate in the manufacture of other chromium compounds as well as a laboratory analytical agent, but this use is limited. Other potential uses are mentioned in the literature but whether they occur in the EU is not clear.	7775-11-3
036	Potassium chromate	Carcinogenic Mutagenic	Potassium chromate is used as a corrosion inhibitor for treatment and coating of metals, for manufacture of reagents, chemicals and textiles, as a colouring agent in ceramics, in the manufacture of pigments/inks and in the laboratory as analytical agent.	7789-00-6
037	Ammonium dichromate	Carcinogenic Mutagenic Toxic to reproduction	Ammonium dichromate is mainly used as an oxidising agent. Other known uses are in the manufacture of photosensitive screens and as mordant in the manufacture of textiles. Minor uses seem to comprise metal treatment and laboratory analytical agent.	7789-09-5
038	Potassium dichromate	Carcinogenic Mutagenic Toxic to reproduction	Potassium dichromate is used for chrome metal manufacturing and as corrosion inhibitor for treatment and coating of metals. It is further used as textile mordant, as laboratory analytical agent, for cleaning of laboratory glassware, in the manufacture of other reagents and as oxidising agent in photolithography.	7778-50-9
039	Cobalt(II) sulphate	Carcinogenic Toxic to reproduction	Mainly used in the production of other chemicals. Further applications may include manufacture of catalysts and driers, surface treatments (such as electroplating), corrosion prevention, production of pigments, decolourising (in glass, pottery), batteries, animal food supplement, soil fertilizer, and Soil Additives	10124-43-3
040	Cobalt(II) dinitrate	Carcinogenic Toxic to reproduction	Mainly used in the production of other chemicals and the manufacture of catalysts. Further applications may include surface treatments and batteries.	10141-05-6
041	Cobalt(II) carbonate	Carcinogenic Toxic to reproduction	Mainly used in the manufacture of catalysts. Minor uses may include feed additive, production of other chemicals, production of pigments, and adhesion (in ground coat frit).	513-79-1

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(5/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
042	Cobalt(II) diacetate	Carcinogenic Toxic to reproduction	Mainly used in the manufacture of catalysts.Minor uses may include production of other chemicals, surface treatment, alloys,production of pigments, dyes, rubber adhesion, and feed additive.	71-48-7
043	2-Methoxyethanol	Toxic to reproduction	Mainly used as solvent, chemicalintermediate and additive for fuels.	109-86-4
044	2-Ethoxyethanol	Toxic to reproduction	Mainly used as solvent and chemical intermediate.	110-80-5
045	Chromium trioxide	Carcinogenic Mutagenic	Used for metal finishing and as fixing agent in waterborne wood preservatives.	1333-82-0
046	Acids generated from chromium trioxide and their oligomers: • Chromic acid • Dichromic acid • Oligomers of chromic acid and dichromic acid	Carcinogenic	These acids and their oligomers are generated when chromium trioxide is dissolved in water.Chromium trioxide is mainly used in form of aqueous solutions. Consequently, the uses of these substances are the same as indicated for chromium trioxide.	7738-94-5 13530-68-2 -
047	2-Ethoxyethyl acetate	Toxic to reproduction	Coatings for metal products and furniture, s olvent printing ink, s olvent ink for electronic components	111-15-9
048	Strontium chromate	Carcinogenic	Coatings such as paints, varnishes, oil-colors,sealants, etcaeronautic/aerospace, coil coating or vehiclecoating	7789-06-2
049	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	Toxic to reproduction	Plasticizer, dye, pigment,paint, ink, adhesive,lubricant	68515-42-4
050	Hydrazine	Carcinogenic	For the manufacture of plastic foam,boiler compound, r educing agent,polymerization catalyst, p urifying agent	7803-57-8 302-01-2
051	1-Methyl-2-pyrrolidone	Toxic to reproduction	Resin solvent, acetylene solvent,MOS semiconductor manufacturing solvents,Electronics Cleaning, de-fluxing,edge bead removal, photoresist stripping	872-50-4
052	1,2,3-Trichloropropane	Carcinogenic Toxic to reproduction	Pesticides and solvents,Crosslinking agents for polysulfide elastomersand exafluoropropylene	96-18-4
053	1,2-Benzenedicarboxylic acid, di-C6-8-branchedalkyl esters, C7-rich (DIHP)	Toxic to reproduction	Plasticizer, dye, pigment,paint, ink, adhesive,lubricant	71888-89-6

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(6/23)

Nº	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS Nº
054	Calcium arsenate	Carcinogenic	Calcium arsenate is present in complex raw materials (which themselves are by-products from metallurgical processes) that are used mainly for copper and lead refining. The substance is used to precipitate nickel from the molten metal and to manufacture diarsenic trioxide. However, most of the substance seems to be disposed of as waste	7778-44-1
055	Bis(2-methoxyethyl) ether	Toxic to reproduction	Bis(2-methoxyethyl) ether is used primarily as a reaction solvent or process chemical in a wide variety of applications. It is also used as solvent for battery electrolytes, and possibly in other products such as sealants, adhesives, fuels and automotive care products	111-96-6
056	Potassium hydroxyoctaoxodizincatedichromate	Carcinogenic	Potassium hydroxyoctaoxodizincatedichromate is mainly used in coatings in the aeronautic/aerospace, steel and aluminium coil coating and vehicle coating sectors.	11103-86-9
057	Lead dipicrate	Toxic to reproduction	No registration for lead dipicrate has been submitted to ECHA. The substance is an explosive like lead diazide and lead styphnate. It may be used in low amounts in detonator mixtures together with the two other mentioned lead compounds	6477-64-1
058	N,N-dimethylacetamide [DMAC]	Toxic to reproduction	N,N-dimethylacetamide is used as solvent, mainly in the manufacture of various substances and in the production of fibres for clothing and other applications. Also used as reagent, and in products such as industrial coatings, insulation paper, polyimide films, paint strippers and ink removers	127-19-5
059	Arsenic acid	Carcinogenic	Arsenic acid is mainly used to remove gas bubbles from ceramic glass melt (fining agent) and in the production of laminated printed circuit boards. To lesser extent the substance is also used in the manufacture of semiconductors and as laboratory agent.	7778-39-4
060	2-Methoxyaniline; o-Anisidine	Carcinogenic	2-Methoxyaniline is mainly used in the manufacture of dyes for tattooing and coloration of paper, polymers and aluminium foil.	90-04-0

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(7/23)

Nº	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS Nº
061	Trilead diarsenate	Carcinogenic Toxic to reproduction	Trilead diarsenate is present in complex raw materials for manufacture of copper, lead and a range of precious metals. The trilead diarsenate contained in the raw materials is in the metallurgical refinement process transformed to calcium arsenate and diarsenic trioxide. Whereas most of the calcium arsenate appears to be disposed of as waste the diarsenic trioxide is used further	3687-31-8
062	1,2-Dichloroethane	Carcinogenic	1,2-Dichloroethane is mainly used for manufacture of other substances. Minor uses as solvent in the chemical and pharmaceutical industry, as well as in laboratories	107-06-2
063	Pentazinc chromate octahydroxide	Carcinogenic	Pentazinc chromate octahydroxide is mainly used in coatings in the vehicle coating and aeronautic/aerospace sectors	49663-84-5
064	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	equivalent level of concern having probable serious effects to the environment	4-(1,1,3,3-Tetramethylbutyl)phenol is mainly used in the manufacture of polymer preparations and of ethoxylate surfactants. It is further used as a component in adhesives, coatings, inks and rubber articles.	140-66-9
065	Formaldehyde, oligomeric reaction products with aniline [technical MDA]	Carcinogenic	Technical MDA is mainly used for manufacture of other substances. Minor uses are as ion exchange resins in nuclear power plants, as hardener for epoxy resins, e.g. for the production of rolls, pipes and moulds, and as well for adhesives.	25214-70-4
066	Bis(2-methoxyethyl) phthalate	Toxic to reproduction	No registration for bis(2-methoxyethyl) phthalate has been submitted to ECHA. Hence, the substance seems not to be manufactured in or imported to the EU in quantities above 1 t/y. Main uses in the past were as plasticiser in polymeric materials and paints, lacquers and varnishes, including printing inks.	117-82-8
067	Lead azide Lead diazide	Toxic to reproduction	Lead diazide is mainly used as initiator or booster in detonators for both civilian and military uses and as initiator in pyrotechnic devices.	13424-46-9

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(8/23)

Nº	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS Nº
068	Lead styphnate	Toxic to reproduction	Lead styphnate is mainly used as a primer for small calibre and rifle ammunition. Other common uses are in ammunition pyrotechnics, powder actuated devices and detonators for civilian use	15245-44-0
069	2,2'-dichloro-4,4'-methylenedianiline [MOCA]	Carcinogenic	2,2'-Dichloro-4,4'-methylenedianiline is mainly used as curing agent in resins and in the production of polymer articles and also for manufacture of other substances. The substance may further be used in construction and arts.	101-14-4
070	Phenolphthalein	Carcinogenic	Phenolphthalein is mainly used as laboratory agent (pH indicator solutions). Minor uses are in pharmaceutical preparations and in some special applications (e.g. pH-indicator paper, disappearing inks).	77-09-8
071	Dichromium tris(chromate)	Carcinogenic	Dichromium tris(chromate) is mainly used in mixtures for metal surface treatment in the aeronautic/aerospace, steel and aluminium coating sector	24613-89-6
072	1,2-bis(2-methoxyethoxy)ethane [TEGDME, triglyme]	Toxic for reproduction	Mainly used as a solvent or as a processing aid in the manufacture and formulation of industrial chemicals. Minor use in brake fluids and repair of motor vehicles.	112-49-2
073	1,2-dimethoxyethane; ethylene glycol dimethyl ether [EGDME]	Toxic for reproduction	Mainly used as a solvent or as a processing aid in the manufacture and formulation of industrial chemicals, including use as an electrolyte solvent in lithium batteries.	110-71-4
074	Diboron trioxide	Toxic for reproduction	Used in a multitude of applications, e.g. in glass and glass fibres, frits, ceramics, flame retardants, catalysts, industrial fluids, metallurgy, nuclear, electrical equipment, adhesives, inks/paints, film developing solutions, detergents and cleaners, reagent chemicals, biocides and insecticides	1303-86-2

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(9/23)

Nº	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS Nº
075	Formamide	Toxic for reproduction	Mainly used as an intermediate in the manufacture of agrochemicals, pharmaceuticals and industrial chemicals. Minor uses as a solvent, as a laboratory reagent for quality control purposes in forensic laboratories, hospitals, pharmaceutical companies, food and drinks manufacturers and research laboratories. The substance seems to also be used as a plasticiser	75-12-7
076	Lead(II) bis(methanesulfonate)	Toxic for reproduction	Mainly used in plating processes (both electrolytic and electroless) for electronic components (such as printed circuit boards). The substance seems to also be used for batteries in special applications	17570-76-2
077	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	Mutagenic	Mainly used as a hardener in resins and coatings. Also used in inks for the printed circuit board industry, electrical insulation material, resin moulding systems, laminated sheeting, silk screen printing coatings, tools, adhesives, lining materials and stabilisers for plastics.	2451-62-9
078	β -TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	Mutagenic	Mainly used as a solder mask ink in the EU. Also used in electrical insulation material, resin moulding systems, laminated sheeting, silk screen printing, coatings, tools, adhesives, lining materials and stabilisers for plastics.	59653-74-6
079	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	Carcinogenic	Used as an intermediate in the manufacture of triphenylmethane dyes and other substances. Further potential uses include use as an additive (photosensitiser) in dyes and pigments, in dry film products and as a process chemical in the production of electronic circuit boards	90-94-8
080	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	Carcinogenic	Used as an intermediate in the manufacture of dyes and other substances.	101-61-1
081	[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3)	Carcinogenic	Used mainly for paper colouring and inks supplied in printer cartridges and ball pens. Further uses include staining of dried plants, use as a marker for increasing the visibility of liquids, staining in microbial and clinical laboratories.	548-62-9

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(10/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
082	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylenecyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26)	Carcinogenic	Used in the formulation of inks, cleaners, and coatings, as well as for dyeing paper, packaging, textiles, plastic products, and other types of articles. It is also used in diagnostic and analytical applications	2580-56-5
083	α,α -Bis[4-(dimethylamino)phenyl]-4(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4)	Carcinogenic	Mainly used in the formulation of printing and writing inks, for dyeing paper and in mixtures such as windscreen washing agents.	6786-83-0
084	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	Carcinogenic	Used in the formulation of writing inks and potentially other inks, as well as for dyeing a variety of materials.	561-41-1
085	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	PBT ; vPvB	Flame retardants	1163-19-5
086	Pentacosafuorotridecanoic acid	vPvB	Surfactant	72629-94-8
087	Tricosafuorododecanoic acid	vPvB	Surfactant	307-55-1
088	Henicosafuoroundecanoic acid	vPvB	Surfactant	2058-94-8
089	Heptacosafuorotetradecanoic acid	vPvB	Surfactant	376-06-7
090	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	Equivalent level of concern having probable serious effects to human health (Article 57 f)	Foaming agent	123-77-3
091	Cyclohexane-1,2-dicarboxylic anhydride [1] cis-cyclohexane-1,2-dicarboxylic anhydride [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	Equivalent level of concern having probable serious effects to human health (Article 57 f)	Epoxy curing agent	85-42-7 13149-00-3 14166-21-3
092	Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	Equivalent level of concern having probable serious effects to human health (Article 57 f)	Epoxy curing agent	25550-51-0 19438-60-9 48122-14-1 57110-29-9

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(11/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
093	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	Equivalent level of concern having probable serious effects to the environment (Article 57 f)	Surfactant raw materials, paint ink	-
094	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	Equivalent level of concern having probable serious effects to the environment (Article 57 f)	Surfactant	-
095	Methoxyacetic acid	Toxic for reproduction	Intermediates in the synthesis	625-45-6
096	N,N-dimethylformamide	Toxic for reproduction	Solvent for synthesis	68-12-2
097	Dibutyltin dichloride (DBTC)	Toxic for reproduction	Rubber additives, PVC plasticizer	683-18-1
098	Lead monoxide (Lead oxide)	Toxic for reproduction	Glass raw material, raw materials stabilizer	1317-36-8
099	Orange lead (Lead tetroxide)	Toxic for reproduction	Paint pigment	1314-41-6
100	Lead bis(tetrafluoroborate)	Toxic for reproduction	Electrolyte for plating	13814-96-5
101	Trilead bis(carbonate)dihydroxide	Toxic for reproduction	Electronic ceramic material	1319-46-6
102	Lead titanium trioxide	Toxic for reproduction	Electronic ceramic material	12060-00-3
103	Lead titanium zirconium oxide	Toxic for reproduction	Electronic ceramic material	12626-81-2
104	Silicic acid, lead salt	Toxic for reproduction	Raw materials for glass	11120-22-2
105	Silicic acid (H ₂ SiO ₅), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	Toxic for reproduction	Lamp fluorescent agent	68784-75-8
106	1-bromopropane (n-propyl bromide)	Toxic for reproduction	Cleaning solvent	106-94-5
107	Methyloxirane (Propylene oxide)	Carcinogenic ; Mutagenic	Raw materials, solvents	75-56-9
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	Toxic for reproduction	Plasticizer	84777-06-0
109	Diisopentylphthalate (DIPP)	Toxic for reproduction	Plasticizer	605-50-5
110	N-pentyl-isopentylphthalate	Toxic for reproduction	Plasticizer	776297-69-9
111	1,2-diethoxyethane	Toxic for reproduction	Solvent for ink and paint	629-14-1

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(12/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
112	Acetic acid, lead salt, basic	Toxic for reproduction	Synthetic intermediates, anticorrosive pigment	51404-69-4
113	Lead oxide sulfate	Toxic for reproduction	Battery electrode material	12036-76-9
114	[Phthalato(2-)]dioxotrilead	Toxic for reproduction	Stabilizers for PVC	69011-06-9
115	Dioxobis(stearato)trilead	Toxic for reproduction	Stabilizers for PVC	12578-12-0
116	Fatty acids, C16-18, lead salts	Toxic for reproduction	Stabilizers for PVC	91031-62-8
117	Lead cyanidate	Toxic for reproduction	Paint pigment	20837-86-9
118	Lead dinitrate	Toxic for reproduction	Synthetic raw material	10099-74-8
119	Pentalead tetraoxide sulphate	Toxic for reproduction	Battery electrode material, Stabilizers for PVC	12065-90-6
120	Pyrochlore, antimony lead yellow	Toxic for reproduction	Pigment	8012-00-8
121	Sulfurous acid, lead salt, dibasic	Toxic for reproduction	Stabilizers for PVC	62229-08-7
122	Tetraethyllead	Toxic for reproduction	Gasoline additive	78-00-2
123	Tetralead trioxide sulphate	Toxic for reproduction	Battery electrode material, Stabilizers for PVC	12202-17-4
124	Trilead dioxide phosphonate	Toxic for reproduction	Stabilizers for PVC	12141-20-7
125	Furan	Carcinogenic		110-00-9
126	Diethyl sulphate	Carcinogenic ; Mutagenic	Raw materials, intermediate solvent	64-67-5
127	Dimethyl sulphate	Carcinogenic	Raw materials, intermediate solvent	77-78-1
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	Toxic for reproduction	--	143860-04-2
129	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	Toxic for reproduction	Polymer material	88-85-7
130	4,4'-methylenedi-o-toluidine	Carcinogenic	Raw materials, intermediate	838-88-0
131	4,4'-oxydianiline and its salts	Carcinogenic ; Mutagenic	Raw materials, intermediate	101-80-4
132	4-aminoazobenzene	Carcinogenic	Raw materials, intermediate	60-09-3
133	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	Carcinogenic	Raw materials, intermediate	95-80-7
134	6-methoxy-m-toluidine (p-cresidine)	Carcinogenic	Raw materials, intermediate	120-71-8
135	Biphenyl-4-ylamine	Carcinogenic	Raw materials, intermediate	92-67-1
136	o-aminoazotoluene [(4-o-tolylazo-o-toluidine)]	Carcinogenic	Raw materials, intermediate	97-56-3
137	o-toluidine	Carcinogenic	Raw materials, intermediate	95-53-4
138	N-methylacetamide	Toxic for reproduction	Solvent	79-16-3
139	Cadmium	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (Article 57 f)	Ni-Cd batteries, pigments, plating, stabilizers, alloys, etc.	7440-43-9
140	Cadmium oxide	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (effects on kidney and bone) (Article 57 f)	Ni-Cd battery, plating, alloys, etc.	1306-19-0
141	Ammonium pentadecafluorooctanoate (APFO)	Toxic for reproduction (Article 57 c); PBT (Article 57 d)	Reaction aid of fluorine rubber and fluoride resin	3825-26-1
142	Pentadecafluorooctanoic acid (PFOA)	Toxic for reproduction (Article 57 c); PBT (Article 57 d)	Reaction aid of fluoride resin (PolyVinylidene DiFluoride:PVDF, polytetrafluoroethylene:PTFE)	335-67-1

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(13/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
143	Dipentyl phthalate (DPP)	Toxic for reproduction (Article 57 c)	Plasticizer	131-18-0
144	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	Equivalent level of concern having probable serious effects to the environment (due to the endocrine disrupting properties of the degradation products) (Article 57 f)	Paints for Industrial or consumer. Use as ethoxylate (emulsifier) during emulsion polymerization.	-
145	Cadmium sulphide	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (Article 57 f)	Dye of soap, glass, textiles, paper, rubber, printing inks. Fluorescent screen, Semiconductor	1306-23-6
146	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	Carcinogenic (Article 57a)	Azo dyes, direct dyes	573-58-0
147	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	Carcinogenic (Article 57a)	Dye	1937-37-7
148	Diethyl phthalate	Toxic for reproduction (Article 57 c)	Flooring, Grip of tool, Motor parts	84-75-3
149	Imidazolidine-2-thione (2-imidazoline-2-thiol)	Toxic for reproduction (Article 57 c)	Chlorine-containing rubber, polychloroprene, chloro-sulfonated polyethylene for vulcanization accelerator	96-45-7
150	Lead di(acetate)	Toxic for reproduction (Article 57 c)	Synthetic dye, Silk bulking agent, Waterproof agent, Production of lead salts, Dyeing assistant, Analytical reagent (the detection of sulfide), Pharmaceutical products (as an adstringentia), Product gold smelting, Hair dye, Hair color product	301-04-2
151	Triethyl phosphate	Toxic for reproduction (Article 57 c)	Flame retardants, Plasticizers, Hydraulic fluid	25155-23-1
152	Cadmium chloride	Carcinogenic (Article 57a) Mutagenic (Article 57b) Toxic for reproduction (Article 57 c) Equivalent level of concern having probable serious effects to human health (Article 57 f)	For production of organic cadmium compounds, For production of inorganic cadmium compounds, Raw material for electrogalvanizing, Raw material for electroplating, Laboratory reagent (industrial & professional), Component for production of PV (photovoltaic) modules	10108-64-2

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(14/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
153	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	Toxic for reproduction (Article 57 c)	sealant/jointing agents, engine oil stabilizer, automotive gear lubricant, medical devices (DEHP), general purpose PVC (DEHP) adhesives and inks (DIBP)	68515-50-4
154	Sodium peroxometaborate	Toxic for reproduction (Article 57 c)	bleaching agent in laundry detergents and machine dishwashing products, in cleaning products and in cosmetic preparations	7632-04-4
155	Sodium perborate; perboric acid, sodium salt	Toxic for reproduction (Article 57 c)	bleaching agent in laundry detergents and machine dishwashing products, in cleaning products and in cosmetic preparations	-
156	Cadmium fluoride	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for Reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)	<ul style="list-style-type: none"> Research applications, e.g. in solid ionic transport studies Fluorescent and can therefore be used in certain phosphors for luminescent screens For manufacturing of glass, in nuclear reactor control, for electric brushes, high temperature dry-film lubricant, optical applications, and as starting material for crystals for laser Active component in fluxes for soldering of aluminium and its alloys 	7790-79-6
157	Cadmium sulphate	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for Reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)	<ul style="list-style-type: none"> Intermediate for industrial production of inorganic cadmium compounds, and as laboratory reagent Raw material for metal surface coating and for restoring of lead acid batteries Raw material for production of inorganic cadmium compounds. Laboratory reagent • Battery restoring Metal electroplating The standard Weston cell and as electrolytes in electroplating 	10124-36-4; 31119-53-6
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	PBT (Article 57 d); vPvB (Article 57 e)	<ul style="list-style-type: none"> UV-stabilisers since they can absorb the full spectrum of UV-light: UV-A (320-400nm) and UV-B (280-320 nm). The most important UV-absorbers, especially for transparent plastic materials. UV protection agents in coatings especially for cars and special industrial wood coatings. UV stabiliser for plastics, polyurethanes and rubber and constituent in formulations used for coating of surfaces, e.g. cars or special industrial wood coatings. 	3846-71-7

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(15/23)

Nº	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS Nº
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	PBT (Article 57 d); vPvB (Article 57 e)	<ul style="list-style-type: none"> UV-stabilisers since they can absorb the full spectrum of UV light: UV-A (320-400nm) and UV-B (280-320nm) UVprotection agents in coatings especially for cars and special industrial wood coatings. Light stabilizing in coatings, ABS resin, epoxy resin, fiber resin,propylene and polyvinyl chloride 	25973-55-1
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	Toxic for Reproduction (Article 57 c)	<ul style="list-style-type: none"> Heat stabiliser in the production of rigid and to a minor extent of plasticised PVC. The industrial setting (manufacture and distribution, formulation of DOTE, processing of polymers containing DOTE) ,but also by professionals (processing of polymers ontaining DOTE) 	15571-58-1
161	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	Toxic for Reproduction (Article 57 c)	<ul style="list-style-type: none"> The production of PVC as heat stabiliser Industrial settings (manufacture and distribution,formulation of DOTE) Heat stabiliser in the production of rigid and to a minor extent of plasticised PVC. Substances and constituents of mixtures when acting as biocides in free association paint or as biocides to prevent the fouling by microorganisms, plants or animals and of preparations intended for use in the treatment of industrial waters 	-
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ? 0.3% of dihexyl phthalate (EC No. 201-559-5)	Toxic for Reproduction (Article 57 c)	Plasticizers, lubricants, adhesives	68515-51-5 68648-93-1
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	vPvB (Article 57 e)	Perfume raw material	-
164	Nitrobenzene	Toxic for reproduction(Article 57 c)	production of chemicals and intermediate forfurther chemical processing	98-95-3
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	vPvB (Article 57 e)	UV-protection agents in coatings, plastics,rubber, polyurethanes and cosmetics	3864-99-1

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(16/23)

Nº	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS Nº
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	vPvB (Article 57 e)	production of chemicals and intermediate for further chemical processing	36437-37-3
167	1,3-propanesultone	Carcinogenic (Article 57 a)	electrolyte fluid of lithium ion batteries	1120-71-4
168	Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-hepta-decafluorononanoic acid and its sodium and ammonium salts)	Toxic for reproduction (Article 57 c); PBT (Article 57 d)	a processing aid for fluoropolymer manufacture, and also as a lubricating oil additive, surfactant for fire extinguishers, cleaning agent, textile antifouling finishing agent, polishing surfactant, waterproofing agents and in liquid crystal display panels	375-95-1 21049-39-8 4149-60-4
169	Benzo[def]chrysene (Benzo[a]pyrene)	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for Reproduction (Article 57 c); PBT (Article 57 d); vPvB (Article 57 e)	<ul style="list-style-type: none"> Use in electro-steel industry / in products in the metallurgical smelting industry Formulation / end use of adhesives, paints, waterproof material Use in the active carbon supply chain Use as sealing or binding agent for gas storage tanks or artificial clay 	50-32-8
170	4,4'-isopropylidenediphenol (bisphenol A; BPA)	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - human health) Endocrine disrupting properties (Article 57(f) – environment)	Manufacture of polycarbonate, epoxy resins and chemicals; hardener in epoxy resins	80-05-7
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	Toxic for reproduction (Article 57c) PBT (Article 57d)	Lubricant, wetting agent, plasticiser and corrosion inhibitor	3108-42-7 335-76-2 3830-45-3
172	p-(1,1-dimethylpropyl)phenol	Equivalent level of concern having probable serious effects to environment (Article 57f)	Manufacture of chemicals and plastic products	80-46-6
173	4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	Equivalent level of concern having probable serious effects to environment (Article 57f)	Manufacture of polymers; formulation into lubricants	-

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(17/23)

Nº	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS Nº
174	Perfluorohexane-1-sulphonic acid and its salts	vPvB (Article 57 e)	· Household products (such as cookware, floor polish and water repellent sprays for apparel and footwear) · Fire-fighting foams · Metal plating (hard metal plating and decorative plating) · Electronic equipment and components · Medical and healthcare products · Chemically driven oil and mining production · Pesticides (as active ingredients and additives)	355-46-4
175	Benz[a]anthracene	Carcinogenic (Article 57a) PBT (Article 57d) vPvB (Article 57e)	Not registered under REACH. Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.	56-55-3
176	Cadmium carbonate	Carcinogenic (Article 57a) Mutagenic (Article 57b) Specific target organ toxicity after repeated exposure (Article 57(f) - human health)	Used as a pH regulator and in water treatment products, laboratory chemicals, cosmetics and personal care products.	513-78-0
177	Cadmium hydroxide	Carcinogenic (Article 57a) Mutagenic (Article 57b) Specific target organ toxicity after repeated exposure (Article 57(f) - human health)	Used in laboratory chemicals and for the manufacture of electrical, electronic and optical equipment.	21041-95-2
178	Cadmium nitrate	Carcinogenic (Article 57a) Mutagenic (Article 57b) Specific target organ toxicity after repeated exposure (Article 57(f) - human health)	Used in laboratory chemicals and for the manufacture of glass, porcelain and ceramic products.	10022-68-1 10325-94-7
179	Chrysene	Carcinogenic (Article 57a) PBT (Article 57d) vPvB (Article 57e)	Not registered under REACH. Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.	218-01-9 1719-03-5
180	1,6,7,8,9,14,15,16,17,17,18,18Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]	vPvB (Article 57e)	Used as a non-plasticising flame retardant, used in adhesives and sealants and in binding agents.	-
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	Endocrine disrupting properties (Article 57(f) – environment)	Used as a lubricant additive in lubricants and greases.	-
182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA)	Respiratory sensitising properties (Article 57(f) - human health)	Used in the manufacture of esters and polymers.	552-30-7

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(18/23)

Nº	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS Nº
183	Benzo[ghi]perylene	PBT (Article 57d) vPvB (Article 57e)	Not registered under REACH. Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.	191-24-2
184	Decamethylcyclopentasiloxane (D5)	PBT (Article 57d) vPvB (Article 57e)	used in cosmetics and personal care products, polishes and waxes, washing and cleaning products and textile treatment products and dyes.	541-02-6
185	Dicyclohexyl phthalate (DCHP)	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - human health)	Used in plastisol, PVC, rubber and plastic articles. A further use is also as a phlegmatizer and dispersing agent for formulations of organic peroxides.	84-61-7
186	Disodium octaborate	Toxic for reproduction (Article 57c)	used in antifreeze products, heat transfer fluids, lubricants and greases and washing and cleaning products.	12008-41-2
187	Dodecamethylcyclohexasiloxane (D6)	PBT (Article 57d) vPvB (Article 57e)	used in polishes and waxes, washing and cleaning products, and cosmetics and personal care products.	540-97-6
188	Ethylenediamine	Respiratory sensitising properties (Article 57(f) - human health)	used in adhesives and sealants, coating products, fillers, putties, plasters, modelling clay, and pH regulators and water treatment products.	107-15-3
189	Lead	Toxic for reproduction (Article 57c)	used in metals, welding and soldering products, metal surface treatment products, polymers and heat transfer fluids.	7439-92-1
190	Octamethylcyclotetrasiloxane (D4)	PBT (Article 57d) vPvB (Article 57e)	used in washing and cleaning products, cosmetics and personal care products and polishes and waxes.	556-67-2
191	Terphenyl hydrogenated	vPvB (Article 57e)	used as plastic additive, as solvent, in coatings/inks, in adhesives and sealants.	61788-32-7
192	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor; 3-BC)	Endocrine disrupting properties (Article 57(f) - environment)	3 BC is a chemical UV filter which is used in sunscreens and other cosmetics. 3BC is a constituent of skin and hair care products, household products and textiles for UV protection.	15087-24-8
193	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	Toxic for reproduction (Article 57c)	There are no active registrations under REACH.	6807-17-6
194	Benzo[k]fluoranthene	Carcinogenic (Article 57a) PBT (Article 57d) vPvB (Article 57e)	Not registered under REACH. Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.	207-08-9
195	Fluoranthene	PBT (Article 57d) vPvB (Article 57e)	Not registered under REACH. Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.	206-44-0 93951-69-0

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(19/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
196	Phenanthrene	vPvB (Article 57e)	Not registered under REACH. Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.	85-01-8
197	Pyrene	PBT (Article 57d) vPvB (Article 57e)	Used as a transported Intermediate for the manufacture of fine chemicals	129-00-0 1718-52-1
198	2-methoxyethyl acetate	Toxic for reproduction (Article 57c)	Solvents, processing aids, semiconductors, textile printing, paints, etc.	110-49-6
199	Tris(4-nonylphenyl, branched and linear) phosphite	Endocrine disrupting properties (Article 57(f) - environment)	Primarily used as an antioxidant to stabilise polymers.	-
200	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides	Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health) Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment)	Processing aid in the production of fluorinated polymers.	-
201	4-tert-butylphenol	Endocrine disrupting properties (Article 57(f) - environment)	Used in coating products, polymers, adhesives, sealants and for the synthesis of other substances.	98-54-4
202	Diisohexyl phthalate	Toxic for reproduction (Article 57c)	Not registered under REACH.	71850-09-4
203	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Toxic for reproduction (Article 57c)	The substance is used in polymer production	119313-12-1
204	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	Toxic for reproduction (Article 57c)	The substance is used in polymer production	71868-10-5
205	Perfluorobutane sulfonic acid (PFBS) and its salts	Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health) Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment)	Used as a catalyst/additive/reactant in polymer manufacture and in chemical synthesis. It is also used as a flame retardant in polycarbonate (for electronic equipment).	-
206	1-vinylimidazole	Toxic for reproduction (Article 57c)	polymer intermediates and monomers, paint, lacquer, varnish, surface treatment, cleaning agents	1072-63-5
207	2-methylimidazole	Toxic for reproduction (Article 57c)	polymer reaction catalysts, starting materials, pharmaceuticals, chemical intermediates in the manufacture of photographic and photothermographic chemicals, epoxy resin curing agent, auxiliary dyeing agent for acrylic fiber and foamed plastic	693-98-1
208	Butyl 4-hydroxybenzoate	Endocrine disrupting properties (Article 57(f) - human health)	cosmetics, personal care products and medicine	94-26-8
209	Dibutylbis(pentane-2,4-dionato-O,O')tin	Toxic for reproduction (Article 57c)	catalyst, additives in the production of plastics	22673-19-4

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(20/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
210	Bis(2-(2-methoxyethoxy)ethyl)ether	Toxic for reproduction (Article 57c)	Solvent/extraction agent.	143-24-8
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	Toxic for reproduction (Article 57c)	Not registered under REACH as a group of substances. However, one of the three group members (Dioctyltin dilaurate) is registered. The mono-constituent form of the substance (dioctyltin dilaurate) is used as an additive in the production of plastics and rubber tyres.	-
212	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	Toxic for reproduction (Article 57c)	Cleaning agents, cosmetics, in scented articles, polishes and wax blends.	-
213	Orthoboric acid, sodium salt	Toxic for reproduction (Article 57c)	May be used as solvent and corrosion inhibitor.	13840-56-7
214	2,2-bis(bromomethyl)propane1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/ 3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA) 2,3-dibromo-1-propanol (2,3-DBPA)	Carcinogenic (Article 57 a)	BMP: manufacture of polymer resins and in one component foam (OCPF) application. TBNPA: polymer production manufacture of plastics products, including compounding and conversion and as an intermediate. DBPA: registered as an intermediate.	3296-90-0 36483-57-5 1522-92-5 96-13-9
215	Glutaral	Respiratory sensitising properties (Article 57(f) - human health)	Biocides, leather tanning, x-ray film processing, cosmetics.	111-30-8
216	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	PBT (Article 57d) vPvB (Article 57e)	Flame retardants, plasticising additives in plastics, sealants, rubber and textiles.	-
217	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/or combinations thereof (PDDP)	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - human health)	Preparation of lubricant additive materials and of fuel system cleaners.	-
218	1,4-dioxane	Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment) Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health)	Solvent	123-91-1
219	4,4'-(1-methylpropylidene)bisphenol; (bisphenol B)	Endocrine disrupting properties (Article 57(f) - environment)	May be used in manufacture of phenolic and polycarbonate resin.	77-40-7

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(21/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	Endocrine disrupting properties (Article 57 f - human health)	Cosmetics	-
221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	Toxic for reproduction (Article 57 c)	Rubbers, lubricants, adhesives, inks, fuels	119-47-1
222	S-(tricyclo[5.2.1.0 ^{2,6}]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	PBT (Article 57 d)	Lubricants, greases	255881-94-8
223	tris(2-methoxyethoxy)vinylsilane	Toxic for reproduction (Article 57 c)	Rubbers, plastics, sealants	1067-53-4
224	N-(hydroxymethyl)acrylamide	Carcinogenic (Article 57a) Mutagenic (Article 57b)	As a monomer for polymerisation, as a fluoroalkyl acrylate copolymer, and in paints and coatings.	924-42-5
225	1,1'-[ethane-1,2-diyl]bisoxo]bis[2,4,6-tribromobenzene]	Very persistent and very bioaccumulative (REACH Article 57 e)	While the substance itself is not registered under REACH, identification as an SVHC can be seen as a measure to avoid future regrettable substitution.	37853-59-1
226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	Carcinogenic (Article 57 a)	As a reactive flame retardant and as an additive flame retardant in the manufacture of polymer resins, in products such as epoxy coated circuit boards, printed circuit boards, paper and textiles.	79-94-7
227	4,4'-sulphonyldiphenol	Toxic for reproduction (Article 57 c); Endocrine disrupting properties (Article 57 f – environment); Endocrine disrupting properties (Article 57 f – human health)	In the manufacture of: pulp, paper and paper products, textile, leather or fur and chemicals.	80-09-1
228	Barium diboron tetraoxide	Toxic for reproduction (Article 57 c)	In paints and coatings.	13701-59-2
229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof bis(2-ethylhexyl) tetrabromophthalate	Very persistent and very bioaccumulative (Article 57 e)	As a flame retardant and as a plasticiser for flexible polyvinylchloride and for use in wire and cable insulation, film and sheeting, carpet backing, coated fabrics, wall coverings and adhesives.	- 26040-51-7
230	Isobutyl 4-hydroxybenzoate	Endocrine disrupting properties (Article 57 f – human health)	In the manufacture of substances and in the following products: coating products, fillers, putties, plasters, modelling clay and inks and toners.	4247-02-3

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(22/23)

№	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS №
231	Melamine	Equivalent level of concern having probable serious effects to human health (Article 57 f – human health); Equivalent level of concern having probable serious effects to the environment (Article 57 f – environment)	In polymers and resins, coating products, adhesives and sealants, leather treatment products, laboratory chemicals.	108-78-1
232	Perfluoroheptanoic acid and its salts	Toxic for reproduction (Article 57 c); Persistent, bioaccumulative and toxic (Article 57 d); Very persistent and very bioaccumulative (Article 57 e); Equivalent level of concern having probable serious effects to human health (Article 57 f – human health); Equivalent level of concern having probable serious effects to the environment (Article 57 f – environment)	While the substance itself is not registered under REACH, identification as an SVHC can be seen as a measure to avoid future regrettable substitution.	–
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	Very persistent and very bioaccumulative (Article 57 e)	Used in articles, by professional workers (widespread uses), in formulation or re-packing, at industrial sites and in manufacturing.	–
234	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	Toxic for reproduction (Article 57 c)	Inks and toners, coating products, photo-chemicals, polymers, adhesives and sealants and fillers, putties, plasters, modelling clay.	75980-60-8
235	Bis(4-chlorophenyl) sulphone	Very persistent and very bioaccumulative (Article 57 e)	Manufacture of chemicals, plastic products and rubber products.	80-07-9
236	2,4,6-tri-tert-butylphenol	Toxic for reproduction (Article 57c) Persistent, bioaccumulative and toxic (PBT) (Article 57d)	Manufacture of another substance; formulation of mixtures and in fuel products.	732-26-3
237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol	Very persistent and very bioaccumulative (vPvB) (Article 57e)	Air care products, coating products, adhesives and sealants, lubricants and greases, polishes and waxes and washing and cleaning products.	3147-75-9
238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	Toxic for reproduction (Article 57c)	Inks and toners, coating products.	119344-86-4
239	Bumetrizole(UV-326)	vPvB (Article 57e)	Coating products, adhesives and sealants and washing and cleaning products.	3896-11-5

Table 2a: SVHC defined by REACH Regulation (EC)(Candidate for Authorization)(23/23)

Nº	Substances	Basis for Identification as "SVHC"	Examples of Use	CAS Nº
240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	vPvB (Article 57e)	Adhesives and sealants, coating products, fillers, putties, plasters, modelling clay, inks and toners and polymers.	—
241	Bis(α,α dimethylbenzyl) peroxide	Toxic for reproduction (Article 57c)	Flame retardants, polymerization catalysts	80-43-3
242	Triphenyl phosphate	Endocrine disrupting properties (Article 57(f) – environment)	Flame retardants, plasticizers, adhesives, sealants	115-86-6
243	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	Toxic for reproduction (Article 57c)	Lubricants, greases, slow-release formulations, metalworking oils	2156592-54-8
244	O,O,O-triphenyl phosphorothioate	Persistent, bioaccumulative and toxic, PBT(Article 57d)	Lubricants, greases	597-82-0
245	Octamethyltrisiloxane	Very persistent, very bioaccumulative, vPvB(Article 57e)	Coatings and non-metallic surface treatments, sealants, adhesives, cosmetics, pharmaceuticals	107-51-7
246	Perfluamine	Very persistent, very bioaccumulative, vPvB(Article 57e)	Manufacture of electrical, electronic and optical equipment, machinery and vehicles	338-83-0
247	Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	Persistent, bioaccumulative and toxic+(Article 57d)	—	192268-65-8

Table 3: Glory Group Specified Control Substances

No	Substances	Conditions of Deliverables to be controlled	RemarkKey Legal and Regulatory or industry standard/ agreement citation	Examples of Use
001	Beryllium Oxide (BeO)	In the case that concentration in Deliverables exceeds 1000 ppm	DIGITALEUROPE/CECED/AeA / EERA guidance	ceramics
002	Brominated flame retardants (other than PBBs,PBDEs, or HBCDD) Refer to detailed substances in Table 3a.	In the case that concentration in Deliverables exceeds 1000 ppm	DIGITALEUROPE/CECED/AeA / EERA guidance	flame retardant, printed wiring board laminate, connectors, package molding sealing
003	Nickel	Intentionally added	EU Directive 76/769/EEC and EU Directive 94/27/EC	Stainless steel, plating; Example application for prolonged skin contact is an ear bud (headphone)
004	Perchlorates Refer to detailed substances in Table 3b.	0.0000006 % by weight (0.006 ppm) of the product	US/CA DTSC Rulemaking	Coin cell batteries
005	Phthalates (DINP, DIDP, DNOP)	0.1 % by weight (1,000 ppm) of plasticized material	EU Directive 2005/84/EC; Consumer Product Safety Improvement Act	plasticizer, dye, pigment, paint, ink, adhesive, lubricant
006	Polyvinyl Chloride (PVC)	0.1% by weight (1,000 ppm) of product	IEEE1680 (EPEAT: Electronic Product Environmental Assessment Tool)	Insulator, chemical resistance, transparency, sheath material
007	Radioactive substances Refer to detailed substances in Table 3c.	Intentional addition or use	EU-D 96/29/Euratom; Japan Law for the Regulation of Nuclear Source Material, Nuclear Fuel Material, and Reactors, 1986; US NRC	optical properties (thorium), measuring devices, gauges, detector

Notation regarding Table 3:

1) Contents of management

- In the case that Deliverables meet "Conditions of Deliverables to be controlled" defined in the above table, with respect to "Control Substance", its total mass, purpose of use, and application area, etc., shall be managed and recorded.
- The total mass shall be managed in [mg] unit with 2 effective digits.

2) In terms of "Control Substances", methodology of how to calculate concentration shall follow below:

- Denominator on calculating concentration is mass of Deliverables.
- Numerator is mass of the applicable chemical substance. In the case of metal alloy, metal element in the metal alloy will be the numerator.

Table 3a: Brominated Flame Retardants (other than PBBs, PBDEs or HBCDD) (1/2)

CAS No.	Brominated Flame Retardants (other than PBBs, PBDEs or HBCDD)
—	Brominated flame retardant which comes under notation of ISO1043-4 code number FR(14) [Aliphatic/alicyclicbrominated compounds]
—	Brominated flame retardant which comes under notation of ISO1043-4 code number FR(15) [Aliphatic/alicyclicbrominated compounds in combination with antimonycompounds]
—	Brominated flame retardant which comes under notation of ISO1043-4 code number FR(16) [Aromatic brominatedcompounds excluding brominated diphenyl ether andbiphenyls]
—	Brominated flame retardant which comes under notation of ISO1043-4 code number FR(17) [Aromatic brominatedcompounds excluding brominated diphenyl ether andbiphenyls in combination with antimonycompounds]
—	Brominated flame retardant which comes under notation of ISO1043-4 code number FR(22) [Aliphatic/alicyclicchlorinated and brominated compounds]
—	Brominated flame retardant which comes under notationof ISO1043-4 code number FR(42) [Brominated organicphosphorus compounds]
69882-11-7	Poly(2,6-dibromo-phenylene oxide)
58965-66-5	Tetra-decabromo-diphenoxy-benzene
37853-59-1	1,2-Bis(2,4,6-tribromo-phenoxy)ethane
79-94-7	3,5,3',5'-Tetrabromo-bisphenol A (TBBA)
30496-13-0	TBBA, unspecified
40039-93-8	TBBA-epichlorhydrin oligomer
70682-74-5	TBBA-TBBA-diglycidyl-ether oligomer

Table 3a: Brominated Flame Retardants (other than PBBs, PBDEs or HBCDD) (2/2)

CAS No.	Brominated Flame Retardants (other than PBBs, PBDEs or HBCDD)
28906-13-0	TBBA carbonate oligomer
94334-64-2	TBBA carbonate oligomer, phenoxy end capped
71342-77-3	TBBA carbonate oligomer, 2,4,6-tribromo-phenolterminated
32844-27-2	TBBA-bisphenol A-phosgene polymer
139638-58-7	Brominated epoxy resin end-capped with tribromophenol
135229-48-0	Brominated epoxy resin end-capped with tribromophenol
21850-44-2	TBBA-(2,3-dibromo-propyl-ether)
4162-45-2	TBBA bis-(2-hydroxy-ethyl-ether)
25327-89-3	TBBA-bis-(allyl-ether)
37853-61-5	TBBA-dimethyl-ether
39635-79-5	Tetrabromo-bisphenol S
42757-55-1	TBBS-bis-(2,3-dibromo-propyl-ether)
615-58-7	2,4-Dibromo-phenol
118-79-6	2,4,6-Tribromo-phenol
608-71-9	Pentabromo-phenol
3278-89-5	2,4,6-Tribromo-phenyl-allyl-ether
26762-91-4	Tribromo-phenyl-allyl-ether, unspecified
55481-60-2	Bis(methyl)tetrabromo-phthalate
26040-51-7	Bis(2-ethylhexyl)tetrabromo-phthalate
20566-35-2	2-Hydroxy-propyl-2-(2-hydroxy-ethyl)-ethyl-TBP
75790-69-1	TBPA, glycol-and propylene-oxide esters
32588-76-4	N,N'-Ethylene-bis-(tetrabromo-phthalimide)
52907-07-0	Ethylene-bis(5,6-dibromo-norbornane-2,3-dicarboximide)
3234-02-4	2,3-Dibromo-2-butene-1,4-diol
3296-90-0	Dibromo-neopentyl-glycol
96-13-9	Dibromo-propanol
36483-57-5	Tribromo-neopentyl-alcohol
57137-10-7	Poly tribromo-styrene
61368-34-1	Tribromo-styrene
171091-06-8	Dibromo-styrene grafted PP
31780-26-4	Poly-dibromo-styrene
68955-41-9	Bromo-/Chloro-paraffins
82600-56-4	Bromo-/Chloro-alpha-olefin
593-60-2	Vinylbromide
52434-90-9	Tris-(2,3-dibromo-propyl)-isocyanurate
49690-63-3	Tris(2,4-dibromo-phenyl) phosphate
19186-97-1	Tris(tribromo-neopentyl) phosphate
125997-20-8	Chlorinated and brominated phosphate ester
87-83-2	Pentabromo-toluene
38521-51-6	Pentabromo-benzyl bromide
68441-46-3	1,3-Butadiene homopolymer, brominated
59447-55-1	Pentabromo-benzyl-acrylate, monomer
59447-57-3	Pentabromo-benzyl-acrylate, polymer
84852-53-9	Decabromo-diphenyl-ethane
59789-51-4	Tribromo-bisphenyl-maleinimide
—	Brominated trimethylphenyl-lindane
—	Other Brominated Flame Retardants
31454-48-5	Tetrabromo-cyclo-octane
3322-93-8	1,2-Dibromo-4-(1,2-dibromo-methyl)-cyclo-hexane
25357-79-3	TBPA Na salt
632-79-1	Tetrabromo phthalic-anhydride

Table 3b: Perchlorate Compounds

CAS No.	Perchlorate Compounds
7791-03-9	Lithium perchlorate
-	Other perchlorate compounds

Table 3c: Radioactive Substances (Radioactive Isotope)

CAS No.	Radioactive Substances (Radioactive Isotope)
7440-61-1	Uranium-238
10043-92-2	Radon
14596-10-2	Americium-241
7440-29-1	Thorium-232
7440-46-2 (Cs-137 010045-97-3)	Cesium (Radioactive Isotopes only)
(元素 7440-29-6) (Sr-90 10098-97-2)	Strontium (Radioactive Isotopes only)
-	Other radioactive substances

Table 4 : Glory Group Specified Prohibited Substances in manufacturing process

Substances	Details
Ozone Depleting Substances in Table 1b	<p>The following cases are exempted:</p> <ul style="list-style-type: none"> - The substances are used for indirect manufacturing process such as analytical determination and product development. - The substances are used for freezing machines and/or air-conditioning machines. <p>The following substances are exempted from the substances:</p> <ul style="list-style-type: none"> - Substances of Note 1 of Table 1b: <ul style="list-style-type: none"> • HCFCs • Halon-1202 • Bromoethane (Ethyl bromide) • Bromopropane (n-propyl bromide) • Trifluoroiodomethane (Trifluoromethyl iodide) • Chloromethane (Methyl chloride) <p>[Note] If you use HCFCs, please work to reduce the emission and/or the use.</p>

[Revision history]

Dec. 1, 2010 (1st edition): Created. (Separated from "GLORY Green Procurement Direction")
 Added 2 substances to Banned Substances
 Added 9 substance to Reportable Substances.

Mar. 1, 2011(2nd edition): Added 5 substances to Banned Substances
 Added 8 substance to Reportable Substances.
 Deleted 2 substance to Control Substances.

Aug. 1, 2011(3rd edition): Added 7 substance to Reportable Substances.

Feb. 1, 2012(4th edition): Revised Some Standards of ban
 Added 18 substance to Reportable Substances.

Aug. 1, 2012(5th edition): Revised Some Standards of ban
 Added 13 substance to Reportable Substances.

Jan. 7, 2013(6th edition): Added 54 substance to Reportable Substances.

Jul. 1, 2013(7th edition): Added 6 substance to Reportable Substances.

Jan. 6, 2014(8th edition): Added 7 substance to Reportable Substances.

Jul. 1, 2014(9th edition): Added 2 substance to Banned Substances
 Added 4 substance to Reportable Substances.

Nov.4, 2014(10th edition): Revised (Table 1e) Exempted applications from the containment restriction

Jan.5, 2015(11th edition): Revised (Table 1e) Exempted applications from the containment restriction
 Added 6 substance to Reportable Substances.

Jul.1, 2015(12th edition): Added 1 substance to Banned Substances
 Added 2 substance to Reportable Substances.

Jan. 5, 2016(13th edition): Added 5 substance to Reportable Substances.

Apr. 1, 2016(14th edition): Added 1 substance to Banned Substances

Jul.1, 2016(15th edition): Added 1 substance as "Banned Substances" and revised "Standards of ban"
 of 1substance. Added 1 substance to Reportable Substances.
 Deleted expired Exempted applications in Table 1e.

Feb. 1, 2017(16th edition): Revised "Standards of ban" of 2substance.
 Added 4 substance to Reportable Substances.

Aug. 1, 2017(17th edition): Added 6 substance as "Banned Substances" and revised "Standards of ban"
 of 1substance.
 Added 1 substance as "Reportable Substances" and revised "Basis for Identification as "SVHC"" of 5 substances.

Feb. 1, 2018(18th edition): Criteria change of one substance in Table 1
 Criteria change of Exempted applications in Table 1e
 Added 7 substance as "Reportable Substances" and revised "Basis for Identification as "SVHC"" of 1 substances.

Aug.1, 2018(19th edition): Revised (Table 1e) Exempted applications from the containment restriction
 Added 10 substance to Reportable Substances.

Feb. 1, 2019(20th edition): Deleted 1 substance and Added 2 substance as "Banned Substances"
 Criteria change of one substance in Table 1
 Change of Exempted Applications (Table 1e)
 Added 6 substance to Reportable Substances.

Aug. 1, 2019(21st edition): Added 4 substance to Reportable Substances.

Feb. 1, 2020(22nd edition): Change of Exempted Applications (Table 1e)
 Added 4 substance to Reportable Substances.

Aug. 1, 2020(23rd edition): Criteria change of 4 substance in Table 1
 Added 4 substance to Reportable Substances.
 Deleted exempted applications for PFOS and PFOS-related substances in Table 1e

Feb. 1, 2021(24th edition): Added 2 substance to Reportable Substances.

Apr. 1, 2021(25th edition): Added 4 substance to Banned Substances.
 Criteria change of 2 substance in Table 1
 Change of Exempted Applications (Table 1e)
 Deleted of "PFOA detailed substances" (Table 1h)

Aug. 1, 2021(26th edition): Added 8 substance to Reportable Substances.

Feb. 1, 2022(27th edition): Added 4 substance to Reportable Substances.

Sep. 1, 2022(28th edition): Added 1 substance to Reportable Substances.

Feb. 1, 2023(29th edition): Added 3 substance to Banned Substances. (Table 1)
 Added note to ozone depleting substances. (Table 1b)
 Added 1 substance to exempted usage. (Table 1e)
 Added 9 substance to Reportable Substances. (Table 2a)
 Added 1 substance to Prohibited Substances in manufacturing process. (Table 4)

Aug 1, 2023(30th edition): Added 2 substance to Reportable Substances. (Table 2a)

Apr. 1, 2024(31st edition): Added 5 substance to Reportable Substances. (Table 2a)

Jun.1, 2024 (32nd edition): Added 2 substance to Banned Substances. (Table 1)
 Change of Exempted Applications (Table 1e)

Dec.1, 2024(33rd edition): Added 2 substance to Reportable Substances. (Table 2a)

Jun.1, 2025(34th edition): Added 1 substance, revised 1 substance to Banned Substances. (Table 1)
 Added 5 substance to Reportable Substances. (Table 2a)